

| | | | |
|-----------------|--------|---|--|
| | 1:50 | | |
| Vial Number : 5 | 0.7 cc | ONE INJECTIONS IN 3 WEEK (AFTER Vial: 4) | |
| | 0.7 cc | | |
| | 0.7 cc | | |
| | 0.7 cc | | |
| | 0.7 cc | | |
| | 0.7 cc | | |
| | 0.7 cc | | |
| | 1:50 | | |
| Vial Number : 6 | 0.8 cc | ONE INJECTIONS IN 4 WEEK (AFTER Vial: 5) | |
| | 0.8 cc | | |
| | 0.8 cc | | |
| | 0.8 cc | | |
| | 0.8 cc | | |
| | 0.8 cc | | |
| | 1:50 | | |
| Vial Number : 7 | 0.9 cc | ONE INJECTIONS IN 4 WEEK (AFTER Vial: 6) | |
| | 0.9 cc | | |
| | 0.9 cc | | |
| | 0.9 cc | | |
| | 0.9 cc | | |
| | 0.9 cc | | |
| | 1:50 | | |
| Vial Number : 8 | 1.0 | ONE INJECTIONS IN 4 WEEK (AFTER Vial: 7) | |
| | 1.0 | | |
| | 1.0 | | |
| | 1.0 | | |
| | 1.0 | | |

1. Use Tuberculin Syringe, Needle Number:26
2. Give intradermal or subcutaneous injection
3. After 0.5ml, divide the injection in two sites
4. Keep the vial under refrigeration.
5. Place next order before the last vial is exhausted

Courtesy By:- All Cure Pharma Pvt Ltd.(An I.S.O 9001:2015 Certified company)

1719-MIE PART –B BAHADURGARH (HARYANA)-124507

BRANCH OFFICE –C-2/2, VASHIST PARK OPP,JANAK CINEMA, PANKHA ROAD, NEW DELHI -110046

PHONE : 9810199763, 9306491866

